



Soils Map



State: **Iowa**
 County: **Cerro Gordo**
 Location: **25-96N-19W**
 Township: **Portland**
 Acres: **160**
 Date: **10/10/2018**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: IA033, Soil Area Version: 20

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Alfalfa	*i Soybeans	*i Bluegrass	*i Tall Grasses	CSR2**	CSR	Corn	Oats	Soybeans	NCCPI Overall	NCCPI Corn	NCCPI Small Grains	NO Sc
177	Saude loam, 0 to 2 percent slopes	49.37	30.9%		lls	80	2.2	23.2	1.4	2.4	60	63				75	75	55	
1226	Lawler loam, 0 to 2 percent slopes, rarely flooded	28.76	18.0%		lls	80	2.1	23.2	1.4	2.4	59	71				86	86	31	
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	19.99	12.5%		llw	80	1.7	23.2	1.4	2.4	54	67				84	84	14	
284B	Flagler sandy loam, 2 to 5 percent slopes	19.66	12.3%		llle	80	2.2	23.2	1.4	2.4	51	37				57	57	47	
198B	Floyd loam, 1 to 4 percent slopes	9.82	6.1%		llw	222.4	5.8	64.5	4	6.7	89	78				86	86	34	
175B	Dickinson fine sandy loam, 2 to 5 percent slopes	9.20	5.8%		llle	80	2.2	23.2	1.4	2.4	50	55				60	60	47	
178	Waukee loam, 0 to 2 percent slopes	8.19	5.1%		lls	80	2.2	23.2	1.4	2.4	69	77				83	83	66	



83B	Kenyon loam, 2 to 5 percent slopes	7.84	4.9%		lle	225.6	6.3	65.4	4.1	6.8	90	83	210	91	61	84	84	51
177B	Saude loam, 2 to 5 percent slopes	3.36	2.1%		lls	80	2.2	23.2	1.4	2.4	55	58				75	75	55
706B	Cerlin silt loam, 2 to 5 percent slopes	3.08	1.9%		lle	80	2.1	23.2	1.4	2.4	64	58				69	69	31
84	Clyde silty clay loam, 0 to 3 percent slopes	0.63	0.4%		llw	224	4.7	65	4	6.7	88	78	193.5	76.5	56	86	86	4
173	Hoopeston fine sandy loam, 1 to 3 percent slopes	0.10	0.1%		lle	80	2.1	23.2	1.4	2.4	55	62				67	67	25
Weighted Average						96.4	2.5	28	1.7	2.9	61.2	63.8	11.1	4.8	3.2	76.5	76.5	42.5

**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.