


All fields

SOIL CODE	SOIL DESCRIPTION	ACRES PER	CENTAGE OF FIELD	SOIL CLASS	NCCPI
RID	Ritzville silt loam, 8 to 30 percent slopes	1,680.38	30.9%	4	18.3
RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	1,200.75	22.1%	4	17.8
RIE	Ritzville silt loam, 30 to 45 percent slopes	652.86	12.0%	6	4.9
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	583.44	10.7%	6	4.6
RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	283.89	5.2%	7	4.7
MgD	Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes	265.17	4.9%	4	6.4
RIF	Ritzville silt loam, 45 to 60 percent slopes	264.14	4.9%	7	4.9
BcF	Basalt rockland, steep	120.96	2.2%	8	0.4
RtB	Ritzville very fine sandy loam, 0 to 8 percent slopes	102.12	1.9%	3	20.7
	RID RtD RIE RtE RtF MgD RIF BcF	RID Ritzville silt loam, 8 to 30 percent slopes RtD Ritzville very fine sandy loam, 8 to 30 percent slopes RIE Ritzville silt loam, 30 to 45 percent slopes RtE Ritzville very fine sandy loam, 30 to 45 percent slopes RtF Ritzville very fine sandy loam, 45 to 60 percent slopes MgD Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes RIF Ritzville silt loam, 45 to 60 percent slopes BcF Basalt rockland, steep	RID Ritzville silt loam, 8 to 30 percent slopes 1,680.38 RtD Ritzville very fine sandy loam, 8 to 30 percent slopes 1,200.75 RIE Ritzville silt loam, 30 to 45 percent slopes 652.86 RtE Ritzville very fine sandy loam, 30 to 45 percent slopes 583.44 RtF Ritzville very fine sandy loam, 45 to 60 percent slopes 283.89 MgD Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes 265.17 RIF Ritzville silt loam, 45 to 60 percent slopes 264.14 BcF Basalt rockland, steep 120.96	RID Ritzville silt loam, 8 to 30 percent slopes 1,680.38 30.9% RtD Ritzville very fine sandy loam, 8 to 30 percent slopes 1,200.75 22.1% RIE Ritzville silt loam, 30 to 45 percent slopes 652.86 12.0% RtE Ritzville very fine sandy loam, 30 to 45 percent slopes 583.44 10.7% RtF Ritzville very fine sandy loam, 45 to 60 percent slopes 283.89 5.2% MgD Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes 264.14 4.9% RIF Ritzville silt loam, 45 to 60 percent slopes 264.14 4.9% BcF Basalt rockland, steep 120.96 2.2%	RID Ritzville silt loam, 8 to 30 percent slopes 1,680.38 30.9% 4 RtD Ritzville very fine sandy loam, 8 to 30 percent slopes 1,200.75 22.1% 4 RIE Ritzville silt loam, 30 to 45 percent slopes 652.86 12.0% 6 RtE Ritzville very fine sandy loam, 30 to 45 percent slopes 583.44 10.7% 6 RtF Ritzville very fine sandy loam, 45 to 60 percent slopes 283.89 5.2% 7 MgD Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes 265.17 4.9% 4 RIF Ritzville silt loam, 45 to 60 percent slopes 264.14 4.9% 7 BcF Basalt rockland, steep 120.96 2.2% 8




11 fields	s, 5433 acres in Walla Walla County, WA				
■ MsC	Magallon very fine sandy loam, 0 to 15 percent slopes	98.20	1.8%	3	18.5
RtF2	Ritzville very fine sandy loam, 30 to 60 percent slopes, eroded	74.92	1.4%	6	3.9
Тс	Terrace escarpments	59.71	1.1%	7	2.4
■ RmD	Ritzville silt loam, moderately deep, 8 to 30 percent slopes	20.35	0.4%	4	15.0
RIG	Ritzville silt loam, 60 percent and steeper slopes	10.88	0.2%	7	5.0
■ FaF	Farrell very fine sandy loam, 30 to 60 percent slopes	6.03	0.1%	7	5.2
■ RIB	Ritzville silt loam, 0 to 8 percent slopes	5.17	0.1%	3	21.7
■ VaC	Walvan, undulating to hilly	2.43	0.0%	4	26.1
■ RmE	Ritzville silt loam, moderately deep, 30 to 45 percent slopes	1.71	0.0%	6	4.0
■ MgF	Magallon rocky very fine sandy loam, basalt substratum, 30 to 60 percent slopes	0.10	0.0%	7	1.6
		5,433.19			12.4






SOIL	SOIL DESCRIPTION	ACRES PER	CENTAGE OF	SOIL	NCCPI
CODE			FIELD	CLASS	
RID	Ritzville silt loam, 8 to 30 percent slopes	355.88	55.3%	4	18.3
RIE	Ritzville silt loam, 30 to 45 percent slopes	91.66	14.2%	6	4.9
■ RIF	Ritzville silt loam, 45 to 60 percent slopes	81.82	12.7%	7	4.9
■ BcF	Basalt rockland, steep	38.64	6.0%	8	0.4
■ RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	36.03	5.6%	4	17.8
RtF2	Ritzville very fine sandy loam, 30 to 60 percent slopes, eroded	23.89	3.7%	6	3.9
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	13.40	2.1%	6	4.6
VaC	Walvan, undulating to hilly	2.43	0.4%	4	26.1
		643.75			12.8






SOIL CODE	SOIL DESCRIPTION	ACRES PER	CENTAGE OF FIELD	SOIL CLASS	NCCPI
RID	Ritzville silt loam, 8 to 30 percent slopes	252.32	53.0%	4	18.3
RIF	Ritzville silt loam, 45 to 60 percent slopes	94.56	19.9%	7	4.9
RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	83.05	17.5%	4	17.8
■ RIE	Ritzville silt loam, 30 to 45 percent slopes	30.41	6.4%	6	4.9
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	15.43	3.2%	6	4.6
		475.77			14.2





SOIL	SOIL DESCRIPTION	ACRES PER	CENTAGE OF	SOIL	NCCPI
CODE	CODE		FIELD	CLASS	
■ RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	303.73	47.6%	4	17.8
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	192.21	30.1%	6	4.6
RtB	Ritzville very fine sandy loam, 0 to 8 percent slopes	45.78	7.2%	3	20.7
■ RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	41.58	6.5%	7	4.7
- RID	Ritzville silt loam, 8 to 30 percent slopes	21.49	3.4%	4	18.3
RIE	Ritzville silt loam, 30 to 45 percent slopes	16.87	2.6%	6	4.9
RmD	Ritzville silt loam, moderately deep, 8 to 30 percent slopes	16.50	2.6%	4	15.0
		638.17			12.8






Field 4

SOIL	SOIL DESCRIPTION	ACRES PER	CENTAGE OF	SOIL	NCCPI
CODE	ODE		FIELD	CLASS	
■ RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	238.15	45.4%	4	17.8
■ MgD	Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes	133.55	25.4%	4	6.4
■ MsC	Magallon very fine sandy loam, 0 to 15 percent slopes	50.42	9.6%	3	18.5
RtB	Ritzville very fine sandy loam, 0 to 8 percent slopes	38.05	7.2%	3	20.7
■ RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	37.00	7.0%	7	4.7
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	26.59	5.1%	6	4.6
■ BcF	Basalt rockland, steep	1.18	0.2%	8	0.4
		524.94			13.5






	SOIL	SOIL DESCRIPTION	ACRES	PERCENTAGE OF	SOIL	NCCPI
	CODE			FIELD	CLASS	
٠	RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	290.61	44.2%	4	17.8
	RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	207.57	31.6%	6	4.6
	RIF	Ritzville silt loam, 45 to 60 percent slopes	58.16	8.8%	7	4.9
	Тс	Terrace escarpments	41.81	6.4%	7	2.4
•	RtB	Ritzville very fine sandy loam, 0 to 8 percent slopes	18.28	2.8%	3	20.7
	RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	18.12	2.8%	7	4.7
•	RIG	Ritzville silt loam, 60 percent and steeper slopes	10.88	1.7%	7	5.0
	RID	Ritzville silt loam, 8 to 30 percent slopes	5.06	0.8%	4	18.3
	RmD	Ritzville silt loam, moderately deep, 8 to 30 percent slopes	3.85	0.6%	4	15.0




11 fields	s, 5433 acres in Walla Walla County, WA				
■ RIE	Ritzville silt loam, 30 to 45 percent slopes	2.15	0.3%	6	4.9
■ BcF	Basalt rockland, steep	0.71	0.1%	8	0.4
		657.20			10.9






SOIL	SOIL DESCRIPTION	ACRES PER	CENTAGE OF	SOIL	NCCPI
CODE			FIELD	CLASS	
■ MsC	Magallon very fine sandy loam, 0 to 15 percent slopes	47.78	58.8%	3	18.5
■ MgD	Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes	26.45	32.5%	4	6.4
■ BcF	Basalt rockland, steep	5.77	7.1%	8	0.4
RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	0.68	0.8%	7	4.7
■ FaF	Farrell very fine sandy loam, 30 to 60 percent slopes	0.64	0.8%	7	5.2
		81.31			13.1






SOIL	SOIL DESCRIPTION	ACRES PER	CENTAGE OF	SOIL	NCCPI
CODE	CODE		FIELD	CLASS	
■ MgD	Magallon rocky very fine sandy loam, basalt substratum, 0 to 30 percent slopes	105.17	67.0%	4	6.4
■ RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	20.54	13.1%	7	4.7
■ RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	18.25	11.6%	4	17.8
■ BcF	Basalt rockland, steep	5.69	3.6%	8	0.4
■ FaF	Farrell very fine sandy loam, 30 to 60 percent slopes	5.40	3.4%	7	5.2
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	1.82	1.2%	6	4.6
■ MgF	Magallon rocky very fine sandy loam, basalt substratum, 30 to 60 percent slopes	0.10	0.1%	7	1.6
		156.97			7.2






SOII	. SOIL DESCRIPTION	ACRES PEI	RCENTAGE OF	SOIL	NCCPI
COD	Е		FIELD	CLASS	
= RID	Ritzville silt loam, 8 to 30 percent slopes	442.18	69.4%	4	18.3
■ RIE	Ritzville silt loam, 30 to 45 percent slopes	109.84	17.2%	6	4.9
■ RtF	2 Ritzville very fine sandy loam, 30 to 60 percent slopes, eroded	39.70	6.2%	6	3.9
■ RIF	Ritzville silt loam, 45 to 60 percent slopes	27.08	4.2%	7	4.9
■ BcF	Basalt rockland, steep	18.75	2.9%	8	0.4
		637.55			14.0






	SOIL SOIL DESCRIPTION		ACRES PER	CENTAGE OF	SOIL	NCCPI
	CODE			FIELD	CLASS	
_	RID	Ritzville silt loam, 8 to 30 percent slopes	268.67	40.2%	4	18.3
•	RIE	Ritzville silt loam, 30 to 45 percent slopes	213.25	31.9%	6	4.9
•	BcF	Basalt rockland, steep	50.21	7.5%	8	0.4
	RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	45.49	6.8%	4	17.8
•	RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	32.95	4.9%	7	4.7
•	RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	29.35	4.4%	6	4.6
-	Тс	Terrace escarpments	17.90	2.7%	7	2.4
	RtF2	Ritzville very fine sandy loam, 30 to 60 percent slopes, eroded	11.06	1.7%	6	3.9
			668.88			10.7





SOIL CODE	SOIL DESCRIPTION	ACRES PER	CENTAGE OF FIELD	SOIL CLASS	NCCPI
■ RID	Ritzville silt loam, 8 to 30 percent slopes	330.59	53.3%	4	18.3
■ RIE	Ritzville silt loam, 30 to 45 percent slopes	188.68	30.4%	6	4.9
■ RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	76.36	12.3%	7	4.7
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	23.27	3.8%	6	4.6
RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	1.54	0.2%	4	17.8
		620.44			12.0





Field 11

SOIL	SOIL DESCRIPTION	ACRES PERCENTAGE OF		SOIL	NCCPI
CODE			FIELD	CLASS	
■ RtD	Ritzville very fine sandy loam, 8 to 30 percent slopes	183.90	56.0%	4	17.8
RtE	Ritzville very fine sandy loam, 30 to 45 percent slopes	73.80	22.5%	6	4.6
■ RtF	Ritzville very fine sandy loam, 45 to 60 percent slopes	56.66	17.3%	7	4.7
■ RIB	Ritzville silt loam, 0 to 8 percent slopes	5.17	1.6%	3	21.7
RID	Ritzville silt loam, 8 to 30 percent slopes	4.18	1.3%	4	18.3
■ RIF	Ritzville silt loam, 45 to 60 percent slopes	2.52	0.8%	7	4.9
■ RmE	Ritzville silt loam, moderately deep, 30 to 45 percent slopes	1.71	0.5%	6	4.0
RtF2	Ritzville very fine sandy loam, 30 to 60 percent slopes, eroded	0.27	0.1%	6	3.9
		328.21			12.5



11 fields, 5433 acres in Walla Walla County, WA

Walla Walla County, WA

FIELD	ACRES	LOCATION	OWNER (LAST UPDATED)	OWNER ADDRESS
1	643.75	11N 34E - 10, 14, 15, 22, 23 APN: 341115000001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
2	475.77	11N 34E - 2, 3, 10, 11 APN: 341110110001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
3	638.17	11N 34E - 3, 4, 9, 10 APN: 341109000001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
4	524.94	11N 34E - 4, 5, 8, 9 APN: 341108110001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
5	657.20	11N 34E - 9, 10, 15, 16 APN: 341116000001	WASHINGTON STATE OF; DEPT OF NATURAL RES (07/08/2020)	PO BOX 47041, OLYMPIA, WA 98504
6	81.31	11N 34E - 7, 8 APN: 341107410002	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
7	156.97	11N 34E - 7, 8, 17, 18 APN: 341118110001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
8	637.55	11N 34E - 15, 22, 23 APN: 341122000001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
9	668.88	11N 34E - 15, 16, 21, 22 APN: 341121000001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
10	620.44	11N 34E - 21, 22, 23, 26, 27, 28 APN: 341127310001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
11	328.21	11N 34E - 3, 4, 12N 34E - 33, 34 APN: 341104110001	WALLA WALLA FARMS PARTNERSHIP (07/08/2020)	PO BOX 1866, STERLING, CO 80751
	5,433.19			



