



CRP Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Marion**
 Location: **33-74N-19W**
 Township: **Indiana**
 Acres: **259.13**
 Date: **12/3/2021**



Maps Provided By:



Area Symbol: IA125, Soil Area Version: 30

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	CSR2**	*n NCCPI Overall	
716	Lawson-Quiver-Nodaway complex, 0 to 2 percent slopes, occasionally flooded	64.24	24.8%		IIw	78	89	
51	Vesser silt loam, 0 to 2 percent slopes, occasionally flooded	47.33	18.3%		IIw	75	95	
133	Colo silty clay loam, deep loess, 0 to 2 percent slopes, occasionally flooded	30.12	11.6%		IIw	78	81	
43	Bremer silty clay loam, 0 to 2 percent slopes, rarely flooded	24.74	9.5%		IIw	79	83	
S54+	Zook silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded, overwash	19.32	7.5%		IIw	68	73	
S453	Tuskeego silt loam, 0 to 2 percent slopes, rarely flooded	17.94	6.9%		IIIw	81	93	
S65D2	Lindley loam, 9 to 14 percent slopes, moderately eroded	13.79	5.3%		IVe	37	71	
430	Ackmore silt loam, 0 to 2 percent slopes, occasionally flooded	11.57	4.5%		IIw	77	90	
212	Kennebec silt loam, 0 to 2 percent slopes	7.69	3.0%		Iw	92	95	
273C	Olmitz loam, heavy till, 5 to 9 percent slopes	7.13	2.8%		IIIe	77	85	
132C2	Weller silt loam, 5 to 9 percent slopes, moderately eroded	5.82	2.2%		IIIe	59	86	
1313E2	Munterville silt loam, 14 to 18 percent slopes, moderately eroded	3.49	1.3%		VIe	22	58	
273B	Olmitz loam, 2 to 5 percent slopes	3.44	1.3%		IIe	89	96	
1716	Lawson-Quiver-Nodaway complex, 0 to 2 percent slopes, channeled, frequently flooded	2.51	1.0%		Vw	11	21	
Weighted Average						2.28	73.5	*n 85.8

**IA has updated the CSR values for each county to CSR2.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.