



# Tillable Soils Map



State: **Iowa**  
 County: **Greene**  
 Location: **10-85N-30W**  
 Township: **Dawson**  
 Acres: **77.29**  
 Date: **6/28/2022**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: IA073, Soil Area Version: 27

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*i Soybeans Bu	CSR2**	CSR	*n NCCPI Overall	
107	Webster clay loam, 0 to 2 percent slopes	31.14	40.3%		IIw	224.0	65.0	86	86	83	
55	Nicollet clay loam, 1 to 3 percent slopes	25.50	33.0%		Iw	233.6	67.7	89	91	82	
138B	Clarion loam, 2 to 6 percent slopes	9.13	11.8%		Ile	225.6	65.4	89	83	84	
383	Marna silty clay loam, 0 to 2 percent slopes	3.81	4.9%		IIw	193.6	56.1	69	75	77	
507	Canisteo clay loam, 0 to 2 percent slopes	3.08	4.0%		IIw	224.0	65.0	84	81	81	
638C2	Clarion-Storden complex, 6 to 10 percent slopes, moderately eroded	2.49	3.2%		IIle	177.6	51.5	75	60	73	
138B2	Clarion loam, 2 to 6 percent slopes, moderately eroded	1.63	2.1%		Ile	220.8	64.0	87	81	75	
638D2	Omsrud-Storden complex, 10 to 16 percent slopes, moderately eroded	0.33	0.4%		IVe	80.0	23.2	53	50	69	
6	Okoboji silty clay loam, 0 to 1 percent slopes	0.18	0.2%		IIIw	185.6	53.8	59	58	76	
<b>Weighted Average</b>						<b>1.71</b>	<b>223.6</b>	<b>64.8</b>	<b>85.9</b>	<b>85.4</b>	<b>*n 81.8</b>

\*\*IA has updated the CSR values for each county to CSR2.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.