





HUTCHINSON 160 (155.13 AC TOTAL, 151.52 AC TILLABLE)

## TOTAL SOILS



County: **Hutchinson County, SD**

Location: **23-97N-61W**

Township: **Oak Hollow**

Acres: **155.13**

Date: **07/15/2025**



Field borders obtained from Farm Service Agency  
as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code     | Description  | Acres | % of field | CPI | Overall NCCPI | Soil Class (Irr) | Soil Class (Non-Irr) | Drainage Class          |
|----------|--|-------|------------|-----|---------------|------------------|----------------------|-------------------------|
| EtD      | Ethan-Betts loams, 9 to 15 percent slopes                      | 53.73 | 34.63 %    | 28  | 56            | -                | 6                    | Well drained            |
| HtB      | Homme-Onita silty clay loams, 1 to 6 percent slopes            | 27.53 | 17.75 %    | 84  | 65            | -                | 2                    | Well drained            |
| HoC      | Ethan-Homme complex, 6 to 9 percent slopes                     | 21.21 | 13.67 %    | 61  | 62            | -                | 4                    | Well drained            |
| Cb       | Bon loam, channeled, 0 to 2 percent slopes, frequently flooded | 20.43 | 13.17 %    | 32  | 36            | -                | 6                    | Moderately well drained |
| Tw       | Tetonka and Whitewood silty clay loams                         | 18.07 | 11.65 %    | 69  | 36            | -                | 4                    | Poorly drained          |
| Te       | Tetonka silt loam, 0 to 1 percent slopes                       | 8.73  | 5.63 %     | 54  | 23            | -                | 4                    | Poorly drained          |
| HtA      | Homme-Onita silty clay loams, 0 to 2 percent slopes            | 5.44  | 3.51 %     | 87  | 65            | -                | 2                    | Well drained            |
| Average: |  |       |            |     | 51.3          | 51.9             |                      |                         |

Crop Productivity Index tables for ND and SD are obtained from SSURGO using weighted average of all components within the soil profile  
Soils data provided by USDA and NRCS.