





BODDICKER FARM TILLABLE SOILS



FarmWorth®



County: **Buchanan County, IA**

Location: **02-87N-8W**

Township: **Cono**

Acres: **99.95**

Date: **09/11/2025**



Field borders obtained from Farm Service Agency
as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code | Description | Acres | % of field | IA CSR2 | Soil Class (Non-Irr) |
|----------|---|-------|------------|---------|----------------------|
| 41B | Sparta loamy sand, 2 to 5 percent slopes | 29.02 | 29.04 % | 42 | 4 |
| 391B | Clyde-Floyd complex, 1 to 4 percent slopes | 25.01 | 25.03 % | 87 | 2 |
| 407B | Schley loam, 1 to 4 percent slopes | 22.96 | 22.97 % | 81 | 2 |
| 83B | Kenyon loam, 2 to 5 percent slopes | 18.36 | 18.37 % | 90 | 2 |
| 1226 | Lawler loam, 0 to 2 percent slopes, rarely flooded | 2.25 | 2.25 % | 59 | 2 |
| 83C2 | Kenyon loam, 5 to 9 percent slopes, eroded | 1.73 | 1.73 % | 84 | 3 |
| 207B | Whalan silt loam, 20 to 30 inches to limestone, till plain, 2 to 5 percent slopes | 0.57 | 0.57 % | 38 | 2 |
| 41 | Sparta loamy sand, 0 to 2 percent slopes | 0.04 | 0.04 % | 48 | 4 |
| Average: | | | | 72.1 | |

IA has updated the CSR values for each county to CSR2.

Soils data provided by USDA and NRCS.