





BLACK HAWK COUNTY, IOWA

## TOTAL SOILS



County: **Black Hawk County, IA**

Location: **13-88N-12W**

Township: **Poyner**

Acres: **73.67**

Date: **10/01/2025**



Field borders obtained from Farm Service Agency  
as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code     | Description                                  | Acres | % of field | IA CSR2 | Overall NCCPI | Soil Class (Irr) | Soil Class (Non-Irr) | Drainage Class          |
|----------|----------------------------------------------|-------|------------|---------|---------------|------------------|----------------------|-------------------------|
| 41B      | Sparta loamy sand, 2 to 5 percent slopes     | 24.05 | 32.65 %    | 42      | 60            | 2                | 4                    | Excessively drained     |
| 83B      | Kenyon loam, 2 to 5 percent slopes           | 14.10 | 19.14 %    | 90      | 89            | -                | 2                    | Moderately well drained |
| 399      | Readlyn silt loam, 1 to 3 percent slopes     | 11.69 | 15.87 %    | 91      | 80            | -                | 1                    | Somewhat poorly drained |
| 398      | Tripoli clay loam, 0 to 2 percent slopes     | 9.71  | 13.18 %    | 82      | 66            | -                | 2                    | Poorly drained          |
| 408B     | Olin sandy loam, 2 to 5 percent slopes       | 4.86  | 6.60 %     | 64      | 72            | -                | 2                    | Well drained            |
| 84       | Clyde silty clay loam, 0 to 3 percent slopes | 4.00  | 5.43 %     | 88      | 90            | -                | 2                    | Poorly drained          |
| 41C      | Sparta loamy sand, 5 to 9 percent slopes     | 3.10  | 4.21 %     | 37      | 59            | 2                | 4                    | Excessively drained     |
| 391B     | Clyde-Floyd complex, 1 to 4 percent slopes   | 2.15  | 2.92 %     | 87      | 89            | -                | 2                    | Poorly drained          |
| Average: |                                              |       |            | 69.3    | 72.7          |                  |                      |                         |

IA has updated the CSR values for each county to CSR2.

Soils data provided by USDA and NRCS.