



County: Monroe County, IA

Location: 27-72N-17W

Township: Troy
Acres: 48.26

Date: 10/27/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
731C2 🔲	Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded	24.60	50.97 %	62	68	-	3	Somewhat poorly drained
130	Belinda silt loam, 0 to 2 percent slopes	5.81	12.05 %	47	75	-	3	Poorly drained
993D2 📕	Gara-Armstrong loams, 9 to 14 percent slopes, moderately eroded	4.79	9.93 %	35	65	-	4	Well drained
423D2	Bucknell silty clay loam, 9 to 14 percent slopes, moderately eroded	4.58	9.49 %	6	62	-	4	Somewhat poorly drained
223D2 📕	Rinda silty clay loam, 9 to 14 percent slopes, moderately eroded	3.43	7.10 %	19	56	-	4	Poorly drained
131B 🔲	Pershing silt loam, 2 to 5 percent slopes	3.24	6.71 %	70	74	-	3	Somewhat poorly drained
792D2 📕	Armstrong loam, 9 to 14 percent slopes, moderately eroded	1.57	3.26 %	9	63	-	4	Somewhat poorly drained
1313E 📕	Munterville silt loam, 14 to 18 percent slopes	0.24	0.50 %	25	49	-	7	Moderately well drained
1313E2 📕	Munterville silt loam, 14 to 18 percent slopes, moderately eroded	0.00	0.00 %	22	56	-	6	Moderately well drained
Average:				47.8	67.3			

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.