



County: Buchanan County, IA

Location: 27-87N-10W
Township: Jefferson
Acres: 76.84
Date: 12/19/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

د ماء	Description	A	% of	IA	Soil Class (Non-	Davisson Class
Code	Description	Acres	field	CSR2	lrr)	Drainage Class
83B 📙	Kenyon loam, 2 to 5 percent slopes	35.73	46.51 %	90	2	Moderately well drained
408C 🔲	Olin sandy loam, 5 to 9 percent slopes	9.98	12.99 %	59	2	Well drained
391B 🔲	Clyde-Floyd complex, 1 to 4 percent slopes	5.93	7.72 %	87	2	Poorly drained
83C2 🔲	Kenyon loam, 5 to 9 percent slopes, eroded	4.15	5.40 %	84	3	Moderately well drained
41B 🔲	Sparta loamy sand, 2 to 5 percent slopes	4.12	5.36 %	42	4	Excessively drained
177 🔲	Saude loam, 0 to 2 percent slopes	3.47	4.52 %	60	2	Well drained
177В 🔲	Saude loam, 2 to 5 percent slopes	3.05	3.97 %	55	2	Well drained
83C 🔲	Kenyon loam, 5 to 9 percent slopes	2.63	3.42 %	85	3	Moderately well drained
809B 📕	Bertram fine sandy loam, 2 to 5 percent slopes	2.43	3.16 %	39	4	Well drained
213B 🔲	Rockton loam, 30 to 40 inches to limestone, till plain, 2 to 5 percent slopes	2.41	3.14 %	49	2	Well drained
412C 📕	Emeline loam, 2 to 9 percent slopes	2.22	2.89 %	7	4	Somewhat excessively drained
499F 📕	Nordness loam, 14 to 30 percent slopes	0.70	0.91 %	5	7	Well drained
41C 📕	Sparta loamy sand, 5 to 9 percent slopes	0.01	0.01 %	37	4	Excessively drained
			Average:	73.8		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.