





# LUCHT FAMILY TILLABLE SOILS



County: **Carroll County, IA**  
Location: **23-84N-33W**  
Township: **Glidden**  
Acres: **33.00**  
Date: **01/14/2026**



Field borders obtained from Farm Service Agency  
as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code     | Description                                              | Acres | % of field | IA CSR2 | Drainage Class          |
|----------|----------------------------------------------------------|-------|------------|---------|-------------------------|
| L507     | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes | 12.68 | 38.41 %    | 87      | Poorly drained          |
| L95      | Harps clay loam, Bemis moraine, 0 to 2 percent slopes    | 7.57  | 22.93 %    | 75      | Poorly drained          |
| L55      | Nicollet loam, 1 to 3 percent slopes                     | 7.35  | 22.27 %    | 91      | Somewhat poorly drained |
| L107     | Webster clay loam, Bemis moraine, 0 to 2 percent slopes  | 3.91  | 11.84 %    | 88      | Poorly drained          |
| 203      | Cylinder loam, 0 to 2 percent slopes                     | 1.38  | 4.18 %     | 58      | Somewhat poorly drained |
| L138B    | Clarion loam, Bemis moraine, 2 to 6 percent slopes       | 0.12  | 0.36 %     | 88      | Well drained            |
| Average: |                                                          |       |            | 84.0    |                         |

IA has updated the CSR values for each county to CSR2.  
Soils data provided by USDA and NRCS.