





SOUTH 258
CRP SOILS



County: **Wayne County, IA**
 Location: **27-68N-22W**
 Township: **Warren**
 Acres: **142.68**
 Date: **05/05/2026**



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

Code	Description	Acres	% of field	IA CSR2	Soil Class (Non-Irr)	Drainage Class
51	Vesser silt loam, 0 to 2 percent slopes, occasionally flooded	30.54	21.40 %	75	2	Poorly drained
24D2	Shelby clay loam, 9 to 14 percent slopes, moderately eroded	26.36	18.47 %	51	3	Well drained
192C2	Adair clay loam, heavy till, 5 to 9 percent slopes, moderately eroded	21.78	15.27 %	29	3	Somewhat poorly drained
24D3	Shelby clay loam, 9 to 14 percent slopes, severely eroded	9.73	6.82 %	45	4	Well drained
312C	Seymour silt loam, 5 to 9 percent slopes	9.70	6.80 %	58	3	Somewhat poorly drained
24E3	Shelby clay loam, 14 to 18 percent slopes, severely eroded	8.81	6.18 %	27	6	Well drained
93D3	Shelby-Adair complex, 9 to 14 percent slopes, severely eroded	7.32	5.13 %	33	4	Well drained
273B	Olmitz loam, heavy till, 2 to 5 percent slopes	6.84	4.79 %	81	2	Moderately well drained
24E2	Shelby clay loam, 14 to 18 percent slopes, moderately eroded	4.68	3.28 %	40	4	Well drained
192C	Adair loam, heavy till, 5 to 9 percent slopes	3.15	2.21 %	39	3	Somewhat poorly drained
312C2	Seymour silty clay loam, 5 to 9 percent slopes, moderately eroded	2.71	1.90 %	56	3	Somewhat poorly drained
93D2	Shelby-Adair complex, 9 to 14 percent slopes, moderately eroded	2.16	1.51 %	32	4	Well drained
822D3	Lamoni clay loam, 9 to 14 percent slopes, severely eroded	1.98	1.39 %	7	6	Somewhat poorly drained
222C2	Clarinda silty clay loam, 5 to 9 percent slopes, moderately eroded	1.90	1.33 %	28	4	Poorly drained
24E	Shelby loam, 14 to 18 percent slopes	1.81	1.27 %	32	4	Well drained
133B	Colo silty clay loam, heavy till, 2 to 5 percent slopes, rarely flooded	1.58	1.11 %	80	2	Poorly drained
312B	Seymour silt loam, 2 to 5 percent slopes	1.30	0.91 %	64	3	Somewhat poorly drained
13B	Zook-Olmitz-Vesser complex, 0 to 5 percent slopes	0.32	0.22 %	68	2	Poorly drained
				Average:	50.4	

IA has updated the CSR values for each county to CSR2.