





MARINE FARMS, INC.
TOTAL SOILS



County: Muscatine County, IA
 Location: 34-78N-1W
 Township: Sweetland
 Acres: 201.20
 Date: 06/11/2026



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

Code	Description	Acres	% of field	IA CSR2	Drainage Class
M162C2	Downs silt loam, till plain, 5 to 9 percent slopes, eroded	39.28	19.52 %	82	Well drained
467B	Radford silt loam, 2 to 5 percent slopes	30.87	15.35 %	75	Somewhat poorly drained
920C2	Tama silty clay loam, sandy substratum, 5 to 9 percent slopes, eroded	24.87	12.36 %	84	Well drained
2636	Radford-Hanlon silt loams, channeled, 0 to 2 percent slopes	22.30	11.09 %	5	Somewhat poorly drained
920B	Tama silt loam, sandy substratum, 2 to 5 percent slopes	19.42	9.65 %	92	Well drained
753B	Thebes silt loam, 2 to 5 percent slopes	12.44	6.18 %	62	Well drained
179D2	Gara loam, 9 to 14 percent slopes, moderately eroded	9.33	4.64 %	36	Well drained
M162D2	Downs silt loam, till plain, 9 to 14 percent slopes, eroded	8.50	4.23 %	57	Well drained
M162B	Downs silt loam, till plain, 2 to 5 percent slopes	6.96	3.46 %	90	Well drained
179F	Gara loam, 14 to 25 percent slopes	4.90	2.44 %	26	Well drained
291	Atterberry silt loam, 1 to 3 percent slopes	4.41	2.19 %	85	Somewhat poorly drained
119	Muscatine silty clay loam, 0 to 2 percent slopes	4.41	2.19 %	100	Somewhat poorly drained
160	Walford silt loam, 0 to 2 percent slopes	3.91	1.94 %	82	Poorly drained
M163E	Fayette silt loam, till plain, 14 to 18 percent slopes	2.75	1.37 %	39	Well drained
352D2	Whittier silt loam, 9 to 14 percent slopes, moderately eroded	2.23	1.11 %	15	Well drained
771D2	Waubeek silt loam, 9 to 14 percent slopes, eroded	1.63	0.81 %	56	Moderately well drained
175C	Dickinson fine sandy loam, 5 to 9 percent slopes	1.28	0.64 %	45	Well drained
M162C	Downs silt loam, till plain, 5 to 9 percent slopes	1.20	0.60 %	85	Well drained
121B	Tama silt loam, 2 to 5 percent slopes	0.37	0.18 %	95	Well drained
65G	Lindley loam, 25 to 40 percent slopes	0.12	0.06 %	5	Well drained
				Average:	66.8