




HUMBOLDT CO. (84.63 AC TOTAL, 20.58 AC TILLABLE)

TOTAL SOILS



County: Humboldt County, IA

Location: 03-92N-28W

Township: Grove

Acres: 84.63

Date: 07/20/2026



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Range Production (lb/ac/yr)	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
1585	Spillville-Coland complex, channeled, 0 to 2 percent slopes, frequently flooded	57.59	68.05 %	37	51	—	-	5	Somewhat poorly drained
236D	Lester loam, 10 to 16 percent slopes	9.59	11.33 %	53	76	—	-	4	Well drained
27B	Terril loam, 2 to 6 percent slopes	7.62	9.01 %	87	91	—	-	2	Well drained
485	Spillville loam, 0 to 2 percent slopes, occasionally flooded	6.57	7.77 %	88	86	—	-	2	Somewhat poorly drained
308	Wadena loam, 0 to 2 percent slopes	1.37	1.62 %	56	62	—	-	2	Well drained
W	Water	0.75	0.89 %	—	—	—	-	-	-
507	Canisteo clay loam, 0 to 2 percent slopes	0.49	0.58 %	84	82	—	-	2	Poorly drained
236B	Lester loam, 2 to 6 percent slopes	0.18	0.21 %	85	80	—	-	2	Well drained
138B	Clarion loam, 2 to 6 percent slopes	0.17	0.20 %	89	83	—	-	2	Moderately well drained
259	Biscay clay loam, 0 to 2 percent slopes	0.16	0.19 %	52	69	—	-	2	Poorly drained
175B	Dickinson fine sandy loam, 2 to 5 percent slopes	0.09	0.11 %	47	59	—	-	3	Somewhat excessively drained
829D2	Zenor-Storden complex, 9 to 14 percent slopes, moderately eroded	0.04	0.05 %	24	49	—	-	4	Somewhat excessively drained
536	Hanlon fine sandy loam, 0 to 2 percent slopes, occasionally flooded	0.00	0.00 %	81	89	—	-	2	Moderately well drained
Average:				48.2	60.8	—			

IA has updated the CSR values for each county to CSR2.
Soils data provided by USDA and NRCS.