



TILLABLE SOILS



County: **Fayette County, IA**

Location: 05-94N-10W

Township: **Bethel**

Acres:	261.61
--------	---------------

Date: 07/28/2026



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
714B 	Winneshiek loam, 20 to 30 inches to limestone, 2 to 5 percent slopes	40.76	15.58 %	42	62	-	2	Well drained
27B 	Terril loam, 2 to 5 percent slopes	17.68	6.76 %	89	96	-	2	Moderately well drained
84 	Clyde clay loam, 0 to 3 percent slopes	16.47	6.30 %	88	90	-	2	Poorly drained
784B 	Riceville loam, 1 to 4 percent slopes	15.64	5.98 %	69	75	-	2	Somewhat poorly drained
777 	Wapsie loam, 0 to 2 percent slopes	15.19	5.81 %	49	67	-	2	Well drained
171B 	Bassett loam, 2 to 5 percent slopes	15.15	5.79 %	85	86	-	2	Moderately well drained
512B 	Marlean loam, 2 to 5 percent slopes	14.36	5.49 %	60	80	-	4	Well drained
512D 	Marlean loam, 5 to 14 percent slopes	13.93	5.33 %	36	78	-	6	Well drained
407B 	Schley loam, 1 to 4 percent slopes	13.54	5.18 %	81	84	-	2	Somewhat poorly drained
777B 	Wapsie loam, 2 to 5 percent slopes	12.09	4.62 %	45	66	-	2	Well drained
284B 	Flagler sandy loam, 2 to 5 percent slopes	9.10	3.48 %	49	65	-	3	Somewhat excessively drained
471 	Oran loam, 1 to 3 percent slopes	9.05	3.46 %	74	80	-	1	Somewhat poorly drained
782B 	Donnan loam, 2 to 5 percent slopes	8.85	3.38 %	43	69	-	2	Somewhat poorly drained
485 	Spillville loam, 0 to 2 percent slopes, occasionally flooded	7.94	3.04 %	76	87	-	2	Somewhat poorly drained

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
285B 	Burkhardt sandy loam, 2 to 5 percent slopes	6.09	2.33 %	18	43	2	3	Somewhat excessively drained
213 	Rockton loam, 30 to 40 inches to limestone, 0 to 2 percent slopes	6.09	2.33 %	58	63	-	2	Well drained
198B 	Floyd loam, 1 to 4 percent slopes	5.83	2.23 %	89	88	-	2	Somewhat poorly drained
315 	Loamy alluvial land, channeled	4.84	1.85 %	5	41	-	5	Moderately well drained
214 	Rockton loam, 20 to 30 inches to limestone, 0 to 2 percent slopes	4.21	1.61 %	52	60	-	2	Well drained
109B 	Backbone fine sandy loam, 2 to 5 percent slopes	4.15	1.59 %	37	62	-	4	Well drained
781B 	Lourdes loam, 2 to 5 percent slopes	3.81	1.46 %	68	78	-	2	Moderately well drained
110B 	Lamont fine sandy loam, 2 to 5 percent slopes	2.82	1.08 %	52	69	-	3	Well drained
626 	Hayfield loam, 0 to 2 percent slopes, rarely flooded	2.75	1.05 %	53	81	-	2	Somewhat poorly drained
135 	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	2.09	0.80 %	65	87	-	2	Poorly drained
110C 	Lamont fine sandy loam, 5 to 14 percent slopes	2.08	0.80 %	28	67	-	3	Well drained
8041B 	Sparta loamy sand, terrace, 2 to 5 percent slopes, rarely flooded	1.72	0.66 %	43	60	2	4	Excessively drained
714C 	Winneshiek loam, 20 to 30 inches to limestone, 5 to 9 percent slopes	1.70	0.65 %	37	58	-	3	Well drained
536 	Hanlon fine sandy loam, 0 to 2 percent slopes	1.61	0.62 %	70	75	-	2	Moderately well drained
177B 	Saude loam, 2 to 5 percent slopes	0.97	0.37 %	55	77	-	2	Well drained
798B 	Protivin loam, 1 to 4 percent slopes	0.54	0.21 %	61	79	-	2	Somewhat poorly drained
171C 	Bassett loam, 5 to 9 percent slopes	0.36	0.14 %	80	86	-	3	Moderately well drained
302B 	Coggon loam, 2 to 5 percent slopes	0.11	0.04 %	76	90	-	2	Moderately well drained
284C 	Flagler sandy loam, 5 to 9 percent slopes	0.07	0.03 %	44	64	-	3	Somewhat excessively drained
Average:				59.1	74.1			

IA has updated the CSR values for each county to CSR2.
Soils data provided by USDA and NRCS.