





GREENE COUNTY FARM TILLABLE SOILS



County: **Greene County, IA**
 Location: **31-83N-30W**
 Township: **Grant**
 Acres: **136.56**
 Date: **08/13/2026**



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.



Code	Description	Acres	% of field	IA CSR2	Drainage Class
L138B2	Clarion loam, Bemis moraine, 2 to 6 percent slopes, moderately eroded	24.96	18.28 %	85	Well drained
L55	Nicollet loam, 1 to 3 percent slopes	24.59	18.01 %	91	Somewhat poorly drained
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	22.01	16.12 %	88	Well drained
L138C2	Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	20.28	14.85 %	83	Well drained
733	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	11.96	8.76 %	78	Poorly drained
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	10.09	7.39 %	88	Poorly drained
1585B	Coland-Spillville complex, channeled, 2 to 5 percent slopes	5.46	4.00 %	26	Poorly drained
485	Spillville loam, 0 to 2 percent slopes, occasionally flooded	3.64	2.67 %	88	Somewhat poorly drained
485B	Spillville loam, 2 to 5 percent slopes	2.33	1.71 %	88	Moderately well drained
878B	Ocheyedan loam, 2 to 5 percent slopes	2.09	1.53 %	88	Well drained
585B	Coland-Spillville complex, 1 to 5 percent slopes	2.09	1.53 %	74	Poorly drained
34C2	Estherville sandy loam, 5 to 9 percent slopes, moderately eroded	1.75	1.28 %	13	Somewhat excessively drained
L638C2	Clarion-Storden complex, Bemis moraine, 6 to 10 percent slopes, moderately eroded	1.49	1.09 %	75	Well drained
28B	Dickman sandy loam, 2 to 6 percent slopes	1.31	0.96 %	20	Somewhat excessively drained
138D2	Clarion loam, 9 to 14 percent slopes, moderately eroded	1.20	0.88 %	50	Well drained
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	0.50	0.37 %	76	Poorly drained
L138C	Clarion loam, Bemis moraine, 6 to 10 percent slopes	0.49	0.36 %	84	Well drained
6	Okoboji silty clay loam, 0 to 1 percent slopes	0.33	0.24 %	59	Very poorly drained
Average:				81.5	

IA has updated the CSR values for each county to CSR2.