





LISTING #19853 (83.32 AC TOTAL, 63.48 AC TILLABLE)

## TILLABLE SOILS



County: Ringgold County, IA

Location: 05-68N-30W

Township: Waubonsie

Acres: 63.48

Date: 10/01/2026



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

| Code     | Description                                                                 | Acres | % of field | IA CSR2 | Drainage Class          |
|----------|-----------------------------------------------------------------------------|-------|------------|---------|-------------------------|
| S220     | Nodaway silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded  | 23.72 | 37.37 %    | 77      | Moderately well drained |
| 269      | Humeston silty clay loam, 0 to 2 percent slopes, occasionally flooded       | 6.25  | 9.84 %     | 70      | Poorly drained          |
| 592D2    | Mystic clay loam, 9 to 14 percent slopes, moderately eroded                 | 5.44  | 8.57 %     | 10      | Somewhat poorly drained |
| 792D2    | Armstrong clay loam, 9 to 14 percent slopes, moderately eroded              | 4.68  | 7.37 %     | 7       | Somewhat poorly drained |
| 94D2     | Mystic-Caleb complex, 9 to 14 percent slopes, moderately eroded             | 4.15  | 6.54 %     | 20      | Somewhat poorly drained |
| 269B     | Humeston silty clay loam, 2 to 5 percent slopes, rarely flooded             | 3.72  | 5.86 %     | 71      | Poorly drained          |
| 131C2    | Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded          | 3.70  | 5.82 %     | 62      | Somewhat poorly drained |
| 792C2    | Armstrong clay loam, 5 to 9 percent slopes, moderately eroded               | 3.60  | 5.67 %     | 24      | Somewhat poorly drained |
| 831C2    | Pershing silty clay loam, terrace, 5 to 9 percent slopes, moderately eroded | 3.01  | 4.74 %     | 64      | Somewhat poorly drained |
| 65E      | Lindley loam, 14 to 18 percent slopes                                       | 2.69  | 4.24 %     | 33      | Well drained            |
| S172+    | Wabash silt loam, 0 to 2 percent slopes, overwash, occasionally flooded     | 1.36  | 2.15 %     | 16      | Very poorly drained     |
| 13B      | Olmitz-Zook-Humeston complex, 0 to 5 percent slopes                         | 0.64  | 1.01 %     | 78      | Poorly drained          |
| 179D2    | Gara loam, 9 to 14 percent slopes, moderately eroded                        | 0.33  | 0.53 %     | 38      | Well drained            |
| W        | Water                                                                       | 0.19  | 0.30 %     | —       | null                    |
| Average: |                                                                             |       |            | 53.4    |                         |

IA has updated the CSR values for each county to CSR2.

Soils data provided by USDA and NRCS.