
ADS advanced drainage systems, inc.

ADVANCED DRAINAGE SYSTEMS, INC.

Corrugated Plastic Drainage Tubing and Fittings



— LEGEND —

Permanent Fence ..... — X — X — X — X —

Existing Drain Line ... — O — O — O — O —

Proposed Tile Line ... — O — — O — — O — —

Spacing 66'

MATERIAL NEEDS

4" — —

OWNER Richard Gilson

TOWNSHIP Byron DATE 12/14/81

SECTION 23 TOWN Winthrop

COUNTY Buchanan STATE Iowa

Signed Jim Hartz

DRAIN WITH . . .

Hancor inc.




Oelwein, Iowa 50662 • Ph. (319) 283-3324

pacesetters in plastic drainage products.

S

1325'




E

W

552.4"


Stanford Dillon N

Hancor inc.
Oelwein, Iowa 50662 • Ph. (319) 283-3324
pacesetters in plastic drainage products.



DAVE NOLTE
Phone 319-377-6834

TILE RECORD MAP



NAME Richard Gilson


Section..... Township..... County.....

Contractor..... Date installed.....

Amount of tile installed 5"..... 6"..... 8".....

10"..... 12".....Larger.....

Regular inspection of the tile system is essential. Prompt repair of any failure will keep the system in working order and maintenance costs low.


8" INTAKE Rock
5 PLASTIC
4 PLASTIC
6 PLASTIC
4 PLASTIC
4 CLAY
4 CLAY
5 CLAY
PLASTIC 6
6 PLASTIC
8 PLASTIC
5 CLAY

Date 4/5/07 Permit No 1342

PERMIT FOR TILING ACROSS
BUCHANAN COUNTY SECONDARY ROADS

Permission is hereby granted to Dorothy Gibson

Address 1975 Quonset Ave

The right to place _____ Section 23 Twp Byron

Located on the (N) S E W side of 200th St.

Approx 2100 feet N S E (W) of Reed Ave or 800' E of Quonset.

This authorization is given with the understanding that the tiling contractor shall notify this office just prior to installation of the crossing and the owner shall so install it as not to interfere with public travel or with future improvement of the roads. The owner shall be responsible for all damages arising from the laying, installation or fill settlement of said 6". The time of installation shall be Monday through Friday and the traveling public shall be given sufficient warning by means of signs and flares during hours of darkness.

Said 6" shall not be installed closer than within 6 feet of any existing cross road drainage structure. The location of said 6" will be changed when such a change shall be necessary in the improvement of maintenance of the highway.

Size of connecting tile: Inlet 4" Outlet 4"

It is understood that this tile crossing must be agreed to by owners on both sides of the roadway, otherwise this is null and void.

Signed _____

Installation shall be made according to the following specifications:


Co to furnish 60' of 6" pipe & reimburse 4.00/ft.

Buchanan County Board of Supervisors

By: Brian for Board

3109 210TH STREET
WINTHROP, IA 50682
PHONE: (319) 935-3837
JOE GALLERY JIM GALLERY

TILE RECORD MAP



NAME Gibson Farm

Section _____ Township Byron County Buchanan

Amount of tile installed 5" _____ 6" _____ 8" _____

10" _____ 12" _____ Larger _____

april '07