



CRP Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Boone**
 Location: **15-83N-28W**
 Township: **Beaver**
 Acres: **118.37**
 Date: **4/10/2018**

PEOPLES COMPANY
 INNOVATIVE. REAL ESTATE. SOLUTIONS.

Maps Provided By:



Area Symbol: IA015, Soil Area Version: 24

| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | CSR | NCCPI Overall |
|-------------------------|---|-------|------------------|-------------|------------------|-------------|-----------|---------------|
| L138B | Clarion loam, Bemis moraine, 2 to 6 percent slopes | 29.31 | 24.8% | | Ile | 88 | | 77 |
| 259 | Biscay clay loam, 0 to 2 percent slopes | 13.11 | 11.1% | | IIw | 52 | 77 | 69 |
| L55 | Nicollet loam, 1 to 3 percent slopes | 11.35 | 9.6% | | Ie | 91 | | 82 |
| 823C2 | Ridgeport sandy loam, 5 to 9 percent slopes, moderately eroded | 10.72 | 9.1% | | IIIe | 43 | 13 | 40 |
| 308 | Wadena loam, 0 to 2 percent slopes | 9.65 | 8.2% | | IIIs | 56 | 73 | 64 |
| L138C | Clarion loam, Bemis moraine, 6 to 10 percent slopes | 8.42 | 7.1% | | IIIe | 84 | | 73 |
| 1135 | Coland clay loam, 0 to 2 percent slopes, frequently flooded | 7.96 | 6.7% | | Vw | 13 | 25 | 39 |
| L107 | Webster clay loam, Bemis moraine, 0 to 2 percent slopes | 7.30 | 6.2% | | IIw | 88 | | 80 |
| L62D2 | Storden loam, Bemis moraine, 10 to 16 percent slopes, moderately eroded | 5.47 | 4.6% | | IVe | 41 | | 60 |
| 485 | Spillville loam, 0 to 2 percent slopes, occasionally flooded | 3.95 | 3.3% | | IIw | 88 | 91 | 88 |
| 823 | Ridgeport sandy loam, 0 to 2 percent slopes | 3.95 | 3.3% | | IIIIs | 56 | 38 | 50 |
| 224 | Linder sandy loam, 0 to 2 percent slopes | 3.11 | 2.6% | | IIIs | 56 | 52 | 62 |
| 135 | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 2.49 | 2.1% | | IIw | 76 | 82 | 86 |
| 138D2 | Clarion loam, 9 to 14 percent slopes, moderately eroded | 0.80 | 0.7% | | IIIe | 56 | 56 | 64 |
| L507 | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes | 0.48 | 0.4% | | IIw | 87 | | 78 |
| 203 | Cylinder loam, 0 to 2 percent slopes | 0.17 | 0.1% | | IIIs | 58 | 80 | 74 |
| 585B | Coland-Spillville complex, 2 to 5 percent slopes | 0.13 | 0.1% | | IIw | 71 | 70 | 89 |
| Weighted Average | | | | | | 67.7 | *- | 67.9 |

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.