



Soils Map



State: **Iowa**
 County: **Kossuth**
 Location: **26-95N-28W**
 Township: **Irvington**
 Acres: **78.86**
 Date: **10/23/2016**



Area Symbol: IA109, Soil Area Version: 20

| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | CSR |
|------------------|---------------------------------------------------------|-------|------------------|-------------|------------------|--------|------|
| 107 | Webster clay loam, 0 to 2 percent slopes | 23.84 | 30.2% | | IIw | 86 | 80 |
| 348 | Fieldon loam, 0 to 2 percent slopes | 9.99 | 12.7% | | IIw | 54 | 68 |
| 95 | Harps clay loam, 0 to 2 percent slopes | 6.28 | 8.0% | | IIw | 72 | 60 |
| 879 | Fostoria loam, 0 to 2 percent slopes | 6.20 | 7.9% | | Iw | 95 | 85 |
| 28 | Dickman fine sandy loam, 0 to 2 percent slopes | 5.45 | 6.9% | | IIIIs | 27 | 39 |
| 138C2 | Clarion loam, 6 to 10 percent slopes, moderately eroded | 5.39 | 6.8% | | IIIe | 83 | 62 |
| 349 | Darfur loam, 0 to 2 percent slopes | 4.78 | 6.1% | | IIw | 74 | 71 |
| 62C2 | Storden loam, 6 to 10 percent slopes, moderately eroded | 3.60 | 4.6% | | IIIe | 64 | 49 |
| 55 | Nicollet clay loam, 1 to 3 percent slopes | 3.49 | 4.4% | | Iw | 89 | 85 |
| 138B | Clarion loam, 2 to 6 percent slopes | 3.35 | 4.2% | | Ile | 89 | 77 |
| 507 | Canisteo clay loam, 0 to 2 percent slopes | 3.31 | 4.2% | | IIw | 84 | 75 |
| 6 | Okoboji silty clay loam, 0 to 1 percent slopes | 1.84 | 2.3% | | IIIw | 59 | 54 |
| 485B | Spillville loam, 2 to 5 percent slopes | 1.08 | 1.4% | | Ile | 89 | 77 |
| 655 | Crippin loam, 1 to 3 percent slopes | 0.26 | 0.3% | | Iw | 89 | 80 |
| Weighted Average | | | | | | 75.1 | 70.5 |

Area Symbol: IA109, Soil Area Version: 20

**IA has updated the CSR values for each county to CSR2.

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.