

## **Current Tillable Soils Map**





State: lowa
County: Guthrie
Location: 18-78N-32W
Township: Thompson

Acres: **63.18**Date: **12/20/2022** 







Soils data provided by USDA and NRCS.

| A *** C . ***    | shali IAO77 Cail Area Varaiani 24   |       |                  |                |                     |               |                   |        |     |                     |
|------------------|---|-------|------------------|----------------|---------------------|---------------|-------------------|--------|-----|---------------------|
| Area Syn         | nbol: IA077, Soil Area Version: 31  |       |                  |                |                     |               |                   |        |     |                     |
| Code             | Soil Description  | Acres | Percent of field | CSR2<br>Legend | Non-Irr<br>Class *c | *i Corn<br>Bu | *i Soybeans<br>Bu | CSR2** | CSR | *n NCCPI<br>Overall |
| 370D2            | Sharpsburg silty clay loam, 9 to 14 percent slopes, eroded                              | 22.23 | 35.2%            |                | Ille                | 177.6         | 51.5              | 54     | 57  | 77                  |
| Y24E2            | Shelby clay loam, dissected till plain, 14 to 18 percent slopes, eroded                 | 15.29 | 24.2%            |                | IVe                 | 0.0           | 0.0               | 35     |     | 67                  |
| 370C2            | Sharpsburg silty clay loam, 5 to 9 percent slopes, eroded                               | 7.51  | 11.9%            |                | Ille                | 204.8         | 59.4              | 80     | 67  | 82                  |
| Y93E2            | Shelby-Adair clay loams, dissected till plain, 14 to 18 percent slopes, eroded          | 4.76  | 7.5%             |                | IVe                 | 0.0           | 0.0               | 28     |     | 60                  |
| 133B             | Colo silty clay loam, dissected till plain, 2 to 5 percent slopes, occasionally flooded | 4.36  | 6.9%             |                | llw                 | 196.8         | 57.1              | 74     | 81  | 83                  |
| 133A+            | Colo silt loam, deep loess, 0 to 2 percent slopes, overwash, occasionally flooded       | 2.14  | 3.4%             |                | llw                 | 204.8         | 59.4              | 78     |     | 85                  |
| 273C             | Olmitz loam, 5 to 9 percent slopes  | 1.95  | 3.1%             |                | IIIe                | 208.0         | 60.3              | 85     | 57  | 96                  |
| 11B              | Colo-Judson silty clay loams, 0 to 5 percent slopes, occasionally flooded               | 1.64  | 2.6%             |                | llw                 | 216.0         | 62.6              | 80     | 68  | 87                  |
| Y192D2           | Adair clay loam, dissected till plain, 9 to 14 percent slopes, eroded                   | 1.40  | 2.2%             |                | IVe                 | 0.0           | 0.0               | 16     |     | 63                  |
| Y24F2            | Shelby clay loam, dissected till plain, 18 to 25 percent slopes, eroded                 | 1.00  | 1.6%             |                | Vle                 | 0.0           | 0.0               | 20     |     | 53                  |
| Y24D2            | Shelby clay loam, dissected till plain, 9 to 14 percent slopes, eroded                  | 0.75  | 1.2%             |                | Ille                | 0.0           | 0.0               | 49     |     | 73                  |
| 222D2            | Clarinda silty clay loam, dissected till plain, 9 to 14 percent slopes, eroded          | 0.15  | 0.2%             |                | IVe                 | 112.0         | 32.5              | 17     | 10  | 54                  |
| Weighted Average |   |       |                  |                | 3.26                | 119.6         | 34.7              | 52.8   | *-  | *n 74.6             |

<sup>\*\*</sup>IA has updated the CSR values for each county to CSR2.

<sup>\*-</sup> CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

<sup>\*</sup>i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method

<sup>\*</sup>n: The aggregation method is "Weighted Average using all components" Soils data provided by USDA and NRCS.