







Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)
355	Luther loam, 0 to 2 percent slopes	15.52	35.73 %	84	84	-	1
55	Nicollet clay loam, 1 to 3 percent slopes	13.32	30.66 %	89	81	-	1
356G 📕	Storden-Hayden loams, 25 to 50 percent slopes	6.08	14.00 %	13	16	-	7
62D2 📘	Storden loam, 10 to 16 percent slopes, moderately eroded	3.33	7.67 %	41	64	-	4
107	Webster clay loam, 0 to 2 percent slopes	2.78	6.40 %	86	83	-	2
507	Canisteo clay loam, 0 to 2 percent slopes	2.41	5.55 %	84	82	-	2
236B 📘	Lester loam, 2 to 6 percent slopes	0.00	0.00 %	85	80	-	2
Average:				72.4	71.9		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.