



County: Greene County, IA
Location: 06-83N-29W

Township: **Junction** Acres: **46.98**

Date: 08/15/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code | | Description | Acres | % of field | IA CSR2 | Drainage Class |
|----------|--|--|-------|------------|---------|-------------------------|
| L107 | | Webster clay loam, Bemis moraine, 0 to 2 percent slopes | 16.87 | 35.91 % | 88 | Poorly drained |
| L55 | | Nicollet loam, 1 to 3 percent slopes | 11.51 | 24.50 % | 91 | Somewhat poorly drained |
| L138B2 | | Clarion loam, Bemis moraine, 2 to 6 percent slopes, moderately eroded | 9.75 | 20.75 % | 85 | Well drained |
| L138B | | Clarion loam, Bemis moraine, 2 to 6 percent slopes | 4.54 | 9.66 % | 88 | Well drained |
| L138C2 | | Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded | 3.50 | 7.45 % | 83 | Well drained |
| L507 | | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes | 0.75 | 1.60 % | 87 | Poorly drained |
| 878B | | Ocheyedan loam, 2 to 5 percent slopes | 0.04 | 0.09 % | 88 | Well drained |
| 6 | | Okoboji silty clay loam, 0 to 1 percent slopes | 0.02 | 0.04 % | 59 | Very poorly drained |
| Average: | | | | | 87.7 | |

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.

nage 1 of 1