



TRACT 1 (207.08 AC TOTAL, 200.80 AC TILLABLE)

TILLABLE SOILS





County: Thurston County, NE

Location: 26-24N-8E
Township: Dawes
Acres: 200,80
Date: 07/29/2025

▼FarmWorth*

Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	Overall NCCPI	Soil Class (Irr)	Soil Class (Non- Irr)	Drainage Class
6814 🔲	Moody silty clay loam, 6 to 11 percent slopes, eroded	49.55	24,68 %	62	4	3	Well drained
6811 📙	Moody silty clay loam, 2 to 6 percent slopes	37.87	18.86 %	75	3	2	Well drained
7716 🔲	McPaul silt loam, 0 to 2 percent slopes, occasionally flooded	35.13	17.49 %	79	2	2	Well drained
6629 🔲	Belfore-Moody silty clay loams, 0 to 1 percent slopes	27.70	13.80 %	68	1	1	Well drained
6603 🔲	Alcester silty clay loam, 2 to 6 percent slopes	15.14	7.54 %	75	3	2	Well drained
6813 📙	Moody silty clay loam, 6 to 11 percent slopes	14.01	6.98 %	73	4	3	Well drained
6756 🔲	Nora silt loam, 6 to 11 percent slopes, eroded	12.81	6.38 %	66	4	3	Well drained
6750 🔲	Nora silt loam, 11 to 17 percent slopes, eroded	4.84	2.41 %	62		4	Well drained
7153 🔲	Kennebec silt loam, 0 to 3 percent slopes, rarely flooded	2.16	1.08 %	95	1	1	Moderately well drained
7791 🔲	Luton silty clay, rarely flooded	1.08	0.54 %	49	3	3	Poorly drained
6749 🔲	Nora silt loam, 11 to 17 percent slopes	0.43	0.21 %	73		4	Well drained
6687 🔲	Crofton silt loam, 6 to 11 percent slopes, eroded	0.08	0.04 %	66	4	4	Well drained
			Average:	70.6			