

## TRACT 2 (170.82 AC TOTAL, 140.42 AC TILLABLE)

## **TILLABLE SOILS**






County: Bladen County, NC

Location: -

Township: Bladenboro
Acres: 140.42
Date: 09/10/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
NoB 📙	Norfolk loamy fine sand, 2 to 6 percent slopes	43.84	31.22 %	71	-	2	Well drained
LnA 📕	Lynchburg fine sandy loam, 0 to 2 percent slopes, Southern Coastal Plain	24.13	17.18 %	37	-	2	Somewhat poorly drained
GbA 📘	Goldsboro sandy loam, 0 to 3 percent slopes	22.20	15.81 %	77	-	2	Moderately well drained
RaA 🗌	Rains fine sandy loam, 0 to 2 percent slopes, Southern Coastal Plain	20.57	14.65 %	68	-	4	Poorly drained
Wo 🔲	Woodington loamy sand	10.55	7.51 %	69	-	3	Poorly drained
Tr 📙	Torhunta mucky sandy loam	8.24	5.87 %	73	-	3	Very poorly drained
Fo 🗌	Foreston loamy sand	4.59	3.27 %	62	-	2	Moderately well drained
WaB 🔲	Wagram fine sand, 0 to 6 percent slopes	3.09	2.20 %	59	-	2	Well drained
Pa 🔲	Pamlico muck, rarely flooded	1.19	0.85 %	51	-	7	Very poorly drained
NuB 📙	Norfolk-Urban land complex, 0 to 6 percent slopes	1.09	0.78 %	74	-	2	Well drained
Ce 📙	Centenary sand	0.92	0.66 %	42	-	3	Well drained
Rn 🔲	Rains-Urban land complex	0.02	0.01 %	81	-	3	Poorly drained
	Average:			64.7			

Soils data provided by USDA and NRCS.