



TRACT 2 (170.82 AC TOTAL, 140.42 AC TILLABLE)

TOTAL SOILS





County: Bladen County, NC

Location: -

Township: Bladenboro
Acres: 170.82
Date: 09/10/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code | Description | Acres | % of field | Overall NCCPI | Soil Class (Irr) | Soil Class (Non-Irr) | Drainage Class |
|-------|---|-------|---------------|------------------|---------------------|-------------------------|-------------------------|
| NoB 📙 | Norfolk loamy fine sand, 2 to 6 percent slopes | 47.80 | 27.98 % | 71 | - | 2 | Well drained |
| LnA 📕 | Lynchburg fine sandy loam, 0 to 2 percent slopes, Southern Coastal Plain | 27.38 | 16.03 % | 37 | - | 2 | Somewhat poorly drained |
| RaA 🗌 | Rains fine sandy loam, 0 to 2 percent slopes, Southern Coastal Plain | 26.02 | 15.23 % | 68 | - | 4 | Poorly drained |
| GbA 📙 | Goldsboro sandy loam, 0 to 3 percent slopes | 24.57 | 14.38 % | 77 | - | 2 | Moderately well drained |
| Wo 🔲 | Woodington loamy sand | 17.05 | 9.98 % | 69 | - | 3 | Poorly drained |
| Tr 📙 | Torhunta mucky sandy loam | 9.83 | 5.75 % | 73 | - | 3 | Very poorly drained |
| Fo 🔲 | Foreston loamy sand | 8.60 | 5.03 % | 62 | - | 2 | Moderately well drained |
| WaB 🔲 | Wagram fine sand, 0 to 6 percent slopes | 3.66 | 2.14 % | 59 | - | 2 | Well drained |
| NuB 📙 | Norfolk-Urban land complex, 0 to 6 percent slopes | 2.02 | 1.18 % | 74 | - | 2 | Well drained |
| Pa 🔲 | Pamlico muck, rarely flooded | 1.43 | 0.84 % | 51 | - | 7 | Very poorly drained |
| Ce 🔲 | Centenary sand | 1.13 | 0.66 % | 42 | - | 3 | Well drained |
| Rn 📙 | Rains-Urban land complex | 0.69 | 0.40 % | 81 | - | 3 | Poorly drained |
| NoA 🔲 | Norfolk loamy fine sand, 0 to 2 percent slopes | 0.48 | 0.28 % | 72 | - | 1 | Well drained |
| Pe 🔲 | Pantego loam | 0.17 | 0.10 % | 81 | - | 3 | Very poorly drained |
| | | | Average: | 64.9 | | | |

Soils data provided by USDA and NRCS.