




TRACT 2  
TILLABLE SOILS



FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Drainage Class
658	Mayer loam, 0 to 2 percent slopes	70.42	47.09 %	54	Poorly drained
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	21.08	14.10 %	76	Poorly drained
203	Cylinder loam, 0 to 2 percent slopes	19.10	12.77 %	58	Somewhat poorly drained
259	Biscay clay loam, 0 to 2 percent slopes	15.90	10.63 %	52	Poorly drained
L507	Canisteo clay loam, Bernis moraine, 0 to 2 percent slopes	7.55	5.05 %	87	Poorly drained
733	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	5.81	3.88 %	78	Poorly drained
879	Fostoria loam, 0 to 2 percent slopes	2.74	1.83 %	94	Somewhat poorly drained
878B	Ocheyedan loam, 2 to 5 percent slopes	2.31	1.54 %	88	Well drained
4	Knoke silty clay loam, 0 to 1 percent slopes	1.69	1.13 %	56	Very poorly drained
28B	Dickman sandy loam, 2 to 6 percent slopes	1.43	0.96 %	20	Somewhat excessively drained
108	Wadena loam, 0 to 2 percent slopes	1.34	0.90 %	56	Well drained
108B	Wadena loam, 2 to 6 percent slopes	0.18	0.12 %	52	Well drained
		<b>Average:</b>		<b>61.0</b>	

IA has updated the CSR values for each county to CSR2.

Soils data provided by USDA and NRCS.