





TRACT 8 (205.08 AC TOTAL, 193.98 AC TILLABLE)

## TILLABLE SOILS



County: Macoupin County, IL

Location: 07-11N-7W

Township: South Otter

Acres: 193.98

Date: 08/08/2026



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

| Code     | Description                                                    | Acres | % of field | IL PI | Overall NCCPI | Soil Class (Irr) | Soil Class (Non-Irr) | Drainage Class          |
|----------|----------------------------------------------------------------|-------|------------|-------|---------------|------------------|----------------------|-------------------------|
| 17A      | Keomah silt loam, 0 to 2 percent slopes                        | 77.64 | 40.03 %    | 119   | 89            | -                | 2                    | Somewhat poorly drained |
| 897C2    | Bunkum-Atlas silt loams, 5 to 10 percent slopes, eroded        | 25.83 | 13.32 %    | 93    | 75            | -                | 3                    | Somewhat poorly drained |
| 50A      | Virden silty clay loam, 0 to 2 percent slopes                  | 23.54 | 12.14 %    | 137   | 81            | -                | 2                    | Poorly drained          |
| 279A     | Rozetta silt loam, 0 to 2 percent slopes                       | 16.81 | 8.67 %     | 120   | 86            | -                | 1                    | Well drained            |
| 43A      | Ipava silt loam, 0 to 2 percent slopes                         | 14.17 | 7.30 %     | 142   | 91            | -                | 1                    | Somewhat poorly drained |
| 279B     | Rozetta silt loam, 2 to 5 percent slopes                       | 13.81 | 7.12 %     | 117   | 86            | -                | 2                    | Well drained            |
| 897D2    | Bunkum-Atlas silt loams, 10 to 18 percent slopes, eroded       | 13.45 | 6.93 %     | 87    | 72            | -                | 4                    | Somewhat poorly drained |
| 6B2      | Fishhook silt loam, 2 to 5 percent slopes, eroded              | 5.21  | 2.69 %     | 90    | 68            | -                | 2                    | Somewhat poorly drained |
| 119B2    | Elco silt loam, 2 to 5 percent slopes, eroded                  | 2.57  | 1.33 %     | 106   | 66            | -                | 2                    | Moderately well drained |
| 8cF      | Hickory silt loam, cool mesic, 18 to 35 percent slopes         | 0.66  | 0.34 %     | 67    | 19            | -                | 6                    | Well drained            |
| W        | Water                                                          | 0.18  | 0.09 %     | —     | —             | -                | 8                    | -                       |
| 8cG      | Hickory silt loam, cool mesic, 35 to 60 percent slopes         | 0.06  | 0.03 %     | 44    | 19            | -                | 7                    | Well drained            |
| 8cF2     | Hickory silt loam, cool mesic, 18 to 35 percent slopes, eroded | 0.05  | 0.03 %     | 62    | 18            | -                | 6                    | Well drained            |
| Average: |                                                                |       |            |       | 116.0         | 83.5             |                      |                         |