





# TRACT 10 TOTAL SOILS



County: **Fayette County, IA**  
Location: **26-93N-9W**  
Township: **Center**  
Acres: **172.15**  
Date: **09/14/2026**



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

| Code | Description                                                       | Acres | % of field | IA CSR2 | Soil Class (Non-Irr) | Drainage Class               |
|------|-------------------------------------------------------------------|-------|------------|---------|----------------------|------------------------------|
| 171B | Bassett loam, 2 to 5 percent slopes                               | 39.39 | 22.88 %    | 85      | 2                    | Moderately well drained      |
| 198B | Floyd loam, 1 to 4 percent slopes                                 | 37.42 | 21.74 %    | 89      | 2                    | Somewhat poorly drained      |
| 409B | Dickinson fine sandy loam, till substratum, 2 to 5 percent slopes | 19.93 | 11.58 %    | 74      | 3                    | Well drained                 |
| 213B | Rockton loam, 30 to 40 inches to limestone, 2 to 5 percent slopes | 12.01 | 6.98 %     | 53      | 2                    | Well drained                 |
| 284B | Flagler sandy loam, 2 to 5 percent slopes                         | 8.70  | 5.05 %     | 49      | 3                    | Somewhat excessively drained |
| 391B | Clyde-Floyd complex, 1 to 4 percent slopes                        | 7.60  | 4.41 %     | 87      | 2                    | Poorly drained               |
| 84   | Clyde clay loam, 0 to 3 percent slopes                            | 5.84  | 3.40 %     | 88      | 2                    | Poorly drained               |
| 177  | Saude loam, 0 to 2 percent slopes                                 | 5.46  | 3.17 %     | 60      | 2                    | Well drained                 |
| 41B  | Sparta loamy sand, 2 to 5 percent slopes                          | 5.15  | 2.99 %     | 42      | 4                    | Excessively drained          |
| 407B | Schley loam, 1 to 4 percent slopes                                | 5.09  | 2.96 %     | 81      | 2                    | Somewhat poorly drained      |
| 302C | Coggon loam, 5 to 9 percent slopes                                | 4.73  | 2.75 %     | 71      | 3                    | Moderately well drained      |
| 178B | Waukee loam, 2 to 5 percent slopes                                | 4.35  | 2.52 %     | 64      | 2                    | Well drained                 |
| 221  | Klossner muck, 1 to 4 percent slopes                              | 4.08  | 2.37 %     | 48      | 3                    | Very poorly drained          |
| 175B | Dickinson fine sandy loam, 2 to 5 percent slopes                  | 3.90  | 2.27 %     | 50      | 3                    | Well drained                 |
| 83B  | Kenyon loam, 2 to 5 percent slopes                                | 3.23  | 1.88 %     | 90      | 2                    | Moderately well drained      |
| 408C | Olin sandy loam, 5 to 9 percent slopes                            | 1.92  | 1.12 %     | 59      | 2                    | Well drained                 |
| 171C | Bassett loam, 5 to 9 percent slopes                               | 1.67  | 0.97 %     | 80      | 3                    | Moderately well drained      |
| 5040 | Anthroportic Udorthents, 2 to 9 percent slopes                    | 0.72  | 0.42 %     | 5       | 6                    | Moderately well drained      |
| 115F | Sandy escarpments, 14 to 30 percent slopes                        | 0.68  | 0.39 %     | 5       | 7                    | Well drained                 |
| 302B | Coggon loam, 2 to 5 percent slopes                                | 0.28  | 0.16 %     | 76      | 2                    | Moderately well drained      |

| Code | Description | Acres | % of field | IA CSR2 | Soil Class (Non-Irr) | Drainage Class |
|------|-------------|-------|------------|---------|----------------------|----------------|
|      |             |       | Average:   | 75.0    |                      |                |

IA has updated the CSR values for each county to CSR2.  
Soils data provided by USDA and NRCS.