





TRACT 11 TOTAL SOILS



County: **Fayette County, IA**
Location: **26-93N-9W**
Township: **Center**
Acres: **79.15**
Date: **09/15/2026**



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.



Code	Description	Acres	% of field	IA CSR2	Soil Class (Non-Irr)	Drainage Class
198B	Floyd loam, 1 to 4 percent slopes	11.76	14.86 %	89	2	Somewhat poorly drained
109C	Backbone fine sandy loam, 5 to 9 percent slopes	10.97	13.86 %	31	4	Well drained
171B	Bassett loam, 2 to 5 percent slopes	10.91	13.79 %	85	2	Moderately well drained
213B	Rockton loam, 30 to 40 inches to limestone, 2 to 5 percent slopes	8.15	10.29 %	53	2	Well drained
302B	Coggon loam, 2 to 5 percent slopes	7.03	8.88 %	76	2	Moderately well drained
214B	Rockton loam, 20 to 30 inches to limestone, 2 to 5 percent slopes	6.27	7.93 %	47	2	Well drained
302C	Coggon loam, 5 to 9 percent slopes	5.95	7.52 %	71	3	Moderately well drained
714B	Winneshiek loam, 20 to 30 inches to limestone, 2 to 5 percent slopes	5.52	6.98 %	42	2	Well drained
177	Saude loam, 0 to 2 percent slopes	3.82	4.83 %	60	2	Well drained
407B	Schley loam, 1 to 4 percent slopes	3.61	4.57 %	81	2	Somewhat poorly drained
110B	Lamont fine sandy loam, 2 to 5 percent slopes	2.00	2.53 %	52	3	Well drained
777	Wapsie loam, 0 to 2 percent slopes	1.80	2.28 %	49	2	Well drained
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	0.67	0.84 %	65	2	Poorly drained
499D	Nordness silt loam, 5 to 14 percent slopes	0.49	0.62 %	5	6	Well drained
409B	Dickinson fine sandy loam, till substratum, 2 to 5 percent slopes	0.19	0.23 %	74	3	Well drained
Average:				63.2		

IA has updated the CSR values for each county to CSR2.
Soils data provided by USDA and NRCS.