TRACT 1 (143.58 AC TOTAL, 80.87 AC TILLABLE)

TOTAL SOILS





County: **Cerro Gordo County, IA**
Location: **14-95N-19W**
Township: **Owen**
Acres: **143.58**
Date: **09/17/2026**

FarmWorth®

FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
612C2	Mottland loam, 5 to 9 percent slopes moderately eroded	37.00	25.77 %	50	46	-	3	Well drained
217B	Ripon silt loam, 30 to 40 inches to limestone, 2 to 5 percent slopes	27.58	19.21 %	57	66	-	2	Well drained
217	Ripon silt loam, 30 to 40 inches to limestone, 0 to 2 percent slopes	13.68	9.53 %	62	69	-	2	Well drained
733	Calco silty clay loam, 0 to 2 percent slopes, occasionaly flooded	11.00	7.66 %	78	88	-	2	Poorly drained
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	10.19	7.10 %	76	82	-	2	Poorly drained
216B	Ripon silt loam, 20 to 30 inches to limestone, 1 to 5 percent slopes	8.95	6.23 %	53	61	-	2	Well drained
201B	Coland-Terril complex, 1 to 4 percent slopes	7.71	5.37 %	76	89	-	2	Poorly drained
221B	Klossner muck, 1 to 4 percent slopes	6.84	4.76 %	48	89	-	3	Very poorly drained
612E2	Mottland loam, 9 to 18 percent slopes, moderately eroded	5.79	4.03 %	21	42	-	4	Well drained
27B	Terril loam, 2 to 6 percent slopes	4.64	3.24 %	87	91	-	2	Well drained
177B	Saude loam, 2 to 5 percent slopes	2.44	1.70 %	55	77	-	2	Well drained
559	Talcot clay loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes	2.43	1.70 %	54	64	-	2	Poorly drained
W	Water	1.63	1.14 %	—	—	-	-	null
174	Bolan loam, 0 to 2 percent slopes	1.35	0.94 %	70	85	-	2	Well drained
214B	Rockton loam, 20 to 30 inches to limestone, till plain, 2 to 5 percent slopes	1.25	0.87 %	47	53	-	2	Well drained
5030	Pits, limestone quarry	1.01	0.70 %	—	—	-	-	null
213B	Rockton loam, 30 to 40 inches to limestone, till plain, 2 to 5 percent slopes	0.05	0.04 %	49	58	-	2	Well drained
174B	Bolan loam, 2 to 5 percent slopes	0.03	0.02 %	64	84	-	2	Well drained
			Average:	58.5	66.0			

IA has updated the CSR values for each county to CSR2.
Soils data provided by USDA and NRCS.