





CILIBERTO 45  
TOTAL SOILS



County: **Johnson County, IA**  
 Location: **32-79N-7W**  
 Township: **Sharon**  
 Acres: **45.00**  
 Date: **06/10/2026**



FarmWorth, LLC makes no warranties, express or implied, regarding the accuracy of any information provided through FarmWorth.com. User is solely responsible for independently verifying all information prior to use and waives any claims against FarmWorth, LLC arising from inaccuracies in such information.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
80D2	Clinton silt loam, 9 to 14 percent slopes, eroded	10.65	23.66 %	46	72	-	3	Moderately well drained
729B	Nodaway-Arenzville silt loams, 1 to 4 percent slopes	6.25	13.88 %	71	79	-	2	Moderately well drained
80D3	Clinton silty clay loam, 9 to 14 percent slopes, severely eroded	6.08	13.51 %	39	63	-	4	Moderately well drained
80C2	Clinton silt loam, 5 to 9 percent slopes, eroded	5.28	11.73 %	69	75	-	3	Moderately well drained
453	Tuskeego silt loam, 0 to 2 percent slopes	5.20	11.55 %	81	93	-	3	Poorly drained
688	Koszta silt loam, 0 to 2 percent slopes	4.15	9.22 %	90	95	-	1	Somewhat poorly drained
687B	Watkins silt loam, 2 to 5 percent slopes	2.91	6.46 %	90	92	-	2	Moderately well drained
428B	Ely silty clay loam, 2 to 5 percent slopes	2.00	4.44 %	88	90	-	2	Somewhat poorly drained
88	Nevin silty clay loam, 0 to 2 percent slopes	1.77	3.93 %	95	98	-	1	Somewhat poorly drained
1484	Lawson silt loam, channeled, 0 to 2 percent slopes	0.44	0.98 %	5	11	-	5	Somewhat poorly drained
80B	Clinton silt loam, 2 to 5 percent slopes	0.17	0.38 %	80	81	-	2	Moderately well drained
43	Bremer silty clay loam, 0 to 2 percent slopes, rarely flooded	0.12	0.27 %	79	77	-	2	Poorly drained
				<b>Average:</b>	<b>65.8</b>	<b>79.2</b>		